
United States
Department of
Agriculture

Soil
Conservation
Service



National Engineering Handbook

Section 3

Sedimentation

Chapter 9

Units and Equivalents

(

(

(

Contents

	<i>Page</i>
General	9-1
Metric system (SI) conversion	9-1
Rules for style and usage	9-2
Conversion factors	9-2
Other conversions	9-8
References	9-15

Figures

	<i>Page</i>
9-1. Conversion of tons to acre-feet for various volume-weights.....	9-9



Tables

	<i>Page</i>
9-1. Base units of the International System (SI)	9-1
9-2. Prefixes for use in multiples of International System (SI) units.....	9-2
9-3. Conversion factors for hydraulic volumes	9-11
9-4. Greek alphabet	9-11
9-5. Map scales and area equivalents	9-12
9-6. Volume-weight conversions	9-13
9-7. Conversion of inches to feet	9-14



Chapter 9

Units and Equivalents

General

Various lists, tables, and charts are included in this section for the convenience of geologists compiling information on rates, volumes, and quantities of sediment, rock formations, and geologic processes. The only explanations in the tables and charts are those necessary to give the basis for the information presented. The conversion factors shown are generally four significant digits; more precise conversion factors of five or more significant digits may be needed in some instances. In all conversions, retain enough significant digits to ensure that accuracy is neither sacrificed nor exaggerated.

Metric System (SI) Conversion

Most of the procedures, formulas, and tables in this handbook are presented in English units. Conversion factors are included in this chapter for those who wish to use the metric system. Table 9-1 shows pertinent base units of the International System of Units (SI), and table 9-2 shows prefixes to be used with SI units.

Table 9-1.—Base units of the International System (SI)

Quantity	Base unit	
	Name	Symbol
Length	meter (metre) ¹	m
Mass ²	kilogram	kg
Time	second	s

¹Both spelling are acceptable.

²Weight is the commonly used term for mass.

Table 9-2.—Prefixes for use in multiples of International System (SI) units

Mutiplier	Prefix	Symbol
10^{18}	exa	E
10^{15}	peta	P
10^{12}	tera	T
10^9	giga	G
10^6	mega	M
10^3	kilo	k
10^2	hecto ^a	h
10^1	deka ^a	da
10^{-1}	deci ^a	d
10^{-2}	centi ^a	c
10^{-3}	milli	m
10^{-6}	micro	μ
10^{-9}	nano	n
10^{-12}	pico	p
10^{-15}	femto	f
10^{-18}	atto	a

^aThese prefixes are generally not recommended.
Multiples of 1,000 are preferred.

Rules for Style and Usage

The choice of the appropriate prefix (multiplier) of an SI unit is governed by convenience. The multiple chosen for a particular application is the one that yields numerical values within a practical range.

Use a slash (/) to form a compound unit by dividing one unit by another, e.g., m/s, kg/m².

Area or volume units are indicated by the appropriate superscript, e.g., km² or m³.

Do not use multiple prefixes, such as dkm or μ ml.

Conversion Factors

To Convert	Into	Multiply By
A		
acre	hectares or square hectometers square feet (sq ft) ^a square meters (m ²) square miles (sq mi)	0.4047 43,560. 4,047. 1.562×10^{-3}
acre-feet (acre-ft)	cubic feet (cu ft) cubic yards (cu yd) gallons (gal) megaliters (ML) cubic meters (m ³) cubic dekameters (dam ³) acre-inches cubic feet/acre	43,560 1,613. 325,850. 1.234 1,234. 1.234 12.00 68.06
acre-feet/square mile (acre-ft/sq mi)	tons/square mile (T/sq mi) tons/acre watershed inches cubic meters/square kilometer (m ³ /km ²)	See fig. 9-1 See fig. 9-1 ^b 0.01875 476.3
acre-feet of water	tons cubic dekameters (dam ³) megagrams (Mg)	1,359. 1.234 1,234.

^aThese abbreviations may be used when their meaning is clear; otherwise spell them out.

^bAfter getting tons/square mile from figure 9-1, multiply by 1.56×10^{-3} to convert to tons/acre.

<u>To Convert</u>	<u>Into</u>	<u>Multiply By</u>
acre-inches	acre-feet (acre-ft) cubic feet (cu ft)	0.08333 3,630.
C Celsius (C)	Fahrenheit (F)	1.8C + 32
centimeters (cm)	feet (ft)	0.03281
	inches (in)	0.3937
	meters (m)	0.010
	millimeters (mm)	10.00
centimeters/second (cm/s)	feet/minute (ft/min)	1.197
cubic centimeters (cm ³)	cubic feet (cu ft)	3.531 × 10 ⁻⁵
	cubic inches (cu in)	0.06102
	U.S. gallons (U.S. gal)	2.642 × 10 ⁻⁴
	liters (L)	0.001
	U.S. pints	2.113 × 10 ⁻³
	U.S. quarts	1.057 × 10 ⁻³
cubic dekameters (dam ³)	acre-feet (acre-ft)	0.8104
cubic feet (cu ft)	cubic centimeters (cm ³)	28,320.
	cubic inches (cu in)	1,728.
	cubic meters (m ³)	0.02832
	cubic yards (cu yd)	0.03704
	U.S. gallons (U.S. gal)	7.481
	liters (L)	28.32
cubic feet/acre	acre-inches	2.754 × 10 ⁻⁴
	acre-feet (acre-ft)	2.296 × 10 ⁻⁵
cubic feet of water	pounds (lb)	62.43
	kilograms/square centimeter (kg/cm ²)	0.03048
	kilograms/square meter (kg/m ²)	304.8
	pounds/square foot (psf)	62.43
	pounds/square inch (psi)	0.4335
cubic feet/second (cfs)	acre-feet per day (acre-ft/d)	1.984
	acre-feet per year (acre-ft/yr)	724.0
	gallons/minute (gpm)	448.8
	million gallons/day (mgd)	0.6463
	cubic meters/second (m ³ /s)	0.02832
	liters/second (L/s)	28.32
	liters/second/square kilometer (L/s/km ²)	0.0915
cubic feet/second/square mile (csm)	cubic feet	86,400.
cubic feet/second-days	cubic centimeters (cm ³)	16.39
cubic inches (cu in)	cubic feet (cu ft)	5.787 × 10 ⁻⁴
cubic meters (m ³)	cubic feet (cu ft)	35.32
cubic meters/second (m ³ /s)	U.S. gallons (U.S. gal)	264.2
cubic meters/square kilometer (m ³ /km ²)	cubic yards (cu yd)	1.308
cubic mile (U.S. statute)	million gallons/day (M gal/d)	22.83
cubic yards (cu yd)	acre-feet/square mile	21.0 × 10 ⁻⁴
	acre-feet (acre-ft)	3.379 × 10 ⁶
	cubic centimeters (cm ³)	7.646 × 10 ⁵

<u>To Convert</u>	<u>Into</u>	<u>Multiply By</u>
	cubic feet (cu ft) cubic meters (m^3) acre-feet (acre-ft)	27.0 0.7646 6.19×10^{-4}
D		
days	seconds (s)	86,400.
degrees Fahrenheit (F)	degrees Celsius (C)	(F° - 32) 0.5556
F		
degrees Fahrenheit (F)	Celsius (C)	(F° - 32) 0.5556
feet (ft)	centimeters (cm)	30.48
feet (ft)	kilometers (km)	3.048×10^{-4}
feet (ft)	meters (m)	0.3048
feet/minute (fpm)	miles (mi)	1.894×10^{-4}
feet/second (fps)	centimeters/second (cm/s)	0.5080
feet/second (fps)	feet/second (fps)	0.01667
feet/second (fps)	kilometers/hour (km/h)	0.01829
feet/second (fps)	miles/hour (mi/h)	0.01136
feet/second (fps)	meters/minute (m/min)	18.29
feet/second (fps)	meters/second (m/s)	0.3048
feet/second (fps)	miles/hour (mph)	0.6818
feet/second (fps)	kilometers/hour (km/h)	1.097
G		
gallons (U.S.)	cubic centimeters (cm^3)	3,785.0
gallons of water	cubic feet (cu ft)	0.1337
gallons/minute (gpm)	cubic inches (cu in)	231.0
grams	cubic meters (m^3)	0.003785
grams of water	gallons-British Imperial (gal Br. Imp.)	0.8327
grams/cubic centimeter (g/cm³)	liters (L)	3.785
grams/cubic meter (g/m³)	pounds of water	8.3453
H	cubic feet/second (cfs)	2.228×10^{-3}
hectares	cubic meters/day (m^3/d)	5.451
hours (h)	liters/second (L/s)	0.06308
	cubic feet/hour (cu ft/h)	8.0208
parts/million (ppm)		
parts/million (ppm)	parts/million (ppm)	1.0 ^c
	acres	2.471
	square feet (sq ft)	1.076×10^{-5}
	days (d)	0.04167
	weeks (wk)	5.952×10^{-3}

^cTrue within 1 percent when concentration is less than 1,000 ppm ($g/m^3 = mg/L$).

<u>To Convert</u>	<u>Into</u>	<u>Multiply By</u>
I		
inches (in)	centimeters (cm)	2.540
inches (watershed)	cubic feet/second/square mile (csm)	13.584
inches eroded	tons (t) ^d	$1.815 \times \text{volume}$ wt (pcf) of up- land soil
K		
kilograms (kg)	pounds, avoirdupois (lb)	2.205
	tons (T)	1.102×10^{-3}
	megagrams (Mg) or tonnes	1×10^{-3}
kilograms/second (kg/sec)	tons/year (T/yr)	34,786.
kilograms/cubic meter (kg/m ³)	pounds/cubic foot (pcf)	0.06243
kilometers (km)	miles (mi)	0.6214
L		
liters (L)	cubic centimeters (cm ³)	1,000.
	cubic feet (cu ft)	0.03531
	gallons (gal)	0.2642
liters/second	cubic feet/second (cfs)	0.03531
liters/second/square kilometer (L/s/km ²)	cubic feet/second/square mile (csm)	10.93
M		
megagrams (Mg)	tons (T)	1.1023
megagrams/square kilometer (Mg/km ²)	tons/square mile	2.8571
megaliters (ML)	acre-feet (acre-ft)	0.8104
meters (m)	yards (yd)	1.094
	feet (ft)	3.281
	inches (in)	39.37
	miles, U.S. Stat. (mi)	6.214×10^{-4}
meters/second (m/s)	feet/second (ft/sec)	3.281
micrometer (μm)	meters (m)	1.0×10^{-6}
	cubic dekameters (dam ³)	1.0
miles, U.S. Stat. (mi)	kilometers (km)	1.609
miles/hour (mph)	feet/second (fps)	1.467
milliliters (ml)	liters (L)	1.0×10^{-3}
millimeters (mm)	inches (in)	0.03937
	micrometers (μm)	1.0×10^{-3}
million gallons/day (mgd)	cubic feet/second (cfs)	1.547
	acre-feet/day	3.069
	cubic/meters/minute (m ³ /min)	2.629
minutes, angular (min)	degrees (deg)	0.01667

^dTons means short tons (2,000 lb) unless otherwise indicated.

<u>To Convert</u>	<u>Into</u>	<u>Multiply By</u>
O		
ounces (oz)	grams (g)	28.35
ounces/gallon (U.S.) (oz/gal-U.S.)	pounds (lb) grams/liter (gm/L)	0.0625 7.489
P		
parts per million (ppm)	grams/cubic meter (g/m^3)	1.0^e
parts per billion (ppb)	grains	7,000.
parts per trillion (ppt)	grams (g)	453.6
parts per quadrillion (ppq)	kilograms (kg)	0.4536
parts per quintillion (ppq)	ounces (oz)	16.00
parts per sextillion (ppx)	tons	0.0005
parts per nonillion (ppn)	cubic feet (cu ft)	0.01602
parts per octillion (ppo)	cubic inches (cu in)	27.68
parts per septillion (pps)	gallons (gal)	0.1198
parts per sextillion (ppx)	cubic feet/second (cfs)	2.670×10^{-3}
parts per quintillion (ppq)	grams/cubic centimeter (g/cm^3)	0.01602
parts per quadrillion (ppq)	kilograms/cubic meter (kg/m^3)	16.02
parts per trilllion (pptr)	grams/cubic centimeter (g/cm^3)	27.68
parts per nonillion (ppn)	grams/liter (g/L)	119.8
parts per octillion (ppo)	tons/acre-foot (T/acre-ft)	21.78
parts per septillion (pps)	kilograms/cubic meter (kg/m^3)	16.02
parts per sextillion (ppx)	pounds/square inch (psi)	6.944×10^{-3}
parts per nonillion (ppn)	kilograms/second/meter	1.488
R		
rods	feet (ft)	16.50
	miles (mi)	3.125×10^{-3}
S		
seconds (s)	days	1.157×10^{-5}
square centimeters (cm^2)	square inches (sq in)	0.1550
square feet (sq ft)	acres	2.296×10^{-5}
square inches (sq in)	square meters (m^2)	0.0929
square kilometers (km^2)	square centimeters (cm^2)	6.452
square meters (m^2)	square miles (sq mi)	0.3861
square miles (sq mi)	acres	247.1
square yards (sq yd)	square feet (sq ft)	10.76
square yards (sq yd)	square yards (sq yd)	1.196
square yards (sq yd)	acres	640.0
square yards (sq yd)	square feet (sq ft)	27.88×10^6
square yards (sq yd)	square kilometers (km^2)	2.590
square yards (sq yd)	square meters (m^2)	2.590×10^6
square yards (sq yd)	square yards (sq yd)	3.098×10^6
square yards (sq yd)	square feet (sq ft)	9.000
square yards (sq yd)	square meters (m^2)	0.8361

^eTrue within 1 percent when concentration is less than 10,000 ppm ($\text{g}/\text{m}^3 = \text{mg}/\text{L}$).

<u>To Convert</u>	<u>Into</u>	<u>Multiply By</u>
T tonnes	tons pounds (lb) megagrams (Mg)	1.103 2,205. 1.000
tons (long)	pounds (lb)	2,240.
tons	tons pounds (lb) kilograms (kg) megagrams (Mg)	1.102 2,205. 907.2 0.9072
tons/square mile	pounds (lb) tons (long) tonnes acre-feet/square mile (acre-ft/sq mi)	2,000. 0.8929 0.9072 See fig. 9-1A and B
tons of water/24 hr	megagrams/square kilometer (Mg/km^2) tons/acre (T/acre)	0.350 1.5625×10^{-3}
tons/acre-foot	pounds of water/hour gallons/minute (gpm) cubic feet/hour (cu ft/hr) pounds/cubic foot (pcf)	83.33 0.1664 1.335 0.04591
W watershed inches	acre-feet/square mile (acre-ft/sq mi) acre-feet (total)	53.33 $53.33 \times$ drainage area in sq mi

Other Conversions


Figures 9-1A and 9-1B are charts for converting various volume-weights or weights of sediment per acre-foot to tons. Table 9-3 is convenient for conversions of hydraulic or sedimentation data. Table 9-4 shows the Greek alphabet. Table 9-5 shows map scales and equivalents for use with aerial photographs and U.S. Geological Survey quadrangles. Table 9-6 illustrates conversion of volume-weight between pounds per cubic foot and tons per acre-foot. Table 9-7 shows conversion of inches to feet.

Suspended sediment and sediment yield can be converted from parts per million by weight to tons as follows:

$$\frac{\text{ppm} \times \text{discharge (cu ft per period)} \times 62.4}{1,000,000 \times 2,000 \text{ (or } 2 \times 10^9\text{)}} = \text{sediment yield (tons per period)}$$

$$\frac{\text{ppm} \times \text{cfs} \times 86,400 \times 62.4}{2 \times 10^9} = \text{ppm} \times \text{cfs}$$
$$\times 0.0027 = \text{sediment yield (tons per day)}$$

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE




U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Figure 9-1B.—Conversion of tons to acre-feet for various volume-weights.

Table 9-3.—Conversion factors for hydraulic volumes

Initial unit	Multiplier to obtain:				
	Cfs-days	Cu ft $\times 10^6$	Gal $\times 10^6$	Acre-ft	In/sq mi
Cfs-days	—	0.08640	0.64632	1.9835	0.037190
Cu ft $\times 10^6$	11.574	—	7.4805	22.957	.43044
Gal $\times 10^6$	1.5472	0.13368	—	3.0689	.05742
Acre-ft	0.50417	0.04356	0.32585	—	.018750
In/sq mi	26.889	2.3232	17.379	53.33	—

Table 9-4.—Greek alphabet

A α alpha	H η eta	N ν nu	T τ tau
B β beta	Θ θ theta	Ξ ξ xi	Y υ upsilon
Γ γ gamma	I ι iota	O \circ omicron	Φ ϕ phi
Δ δ delta	K κ kappa	Π π pi	X χ chi
E ϵ epsilon	Λ λ lambda	P ρ rho	Ψ ψ psi
Z ζ zeta	M μ mu	Σ ς sigma	Ω ω omega

Table 9-5.—Map scales and area equivalents

Fractional scale	Ft per in.	In. per 1,000 ft	In. per mi	Mi per in.	Meters per in.	Acres per sq. in.	Sq. in. per acre	Sq. mi per sq. in.
1: 500	41.667	24.00	126.72	0.008	12.700	0.0399	25.091	0.00006
1: 600	50.00	20.00	105.60	0.009	15.240	0.0574	17.424	0.00009
1: 1,000	83.333	12.00	63.36	0.016	25.400	0.1594	6.273	0.00025
1: 1,200	100.00	10.00	52.80	0.019	30.480	0.2296	4.356	0.00036
1: 1,500	125.00	8.00	42.24	0.024	38.100	0.3587	2.788	0.00056
1: 2,000	166.667	6.00	31.68	0.032	50.800	0.6377	1.568	0.00100
1: 2,400	200.00	5.00	26.40	0.038	60.960	0.9183	1.089	0.0014
1: 2,500	208.333	4.80	25.344	0.039	63.500	0.9964	1.004	0.0016
1: 3,000	250.00	4.00	21.12	0.047	76.200	1.4348	0.697	0.0022
1: 3,600	300.00	3.333	17.60	0.057	91.440	2.0661	0.484	0.0032
1: 4,000	333.333	3.000	15.84	0.063	101.600	2.5508	0.392	0.0040
1: 4,800	400.00	2.500	13.20	0.076	121.920	3.6731	0.272	0.0057
1: 5,000	416.667	2.400	12.672	0.079	127.000	3.9856	0.251	0.0062
1: 6,000	500.00	2.000	10.56	0.095	152.400	5.7392	0.174	0.0090
1: 7,000	583.333	1.714	9.051	0.110	177.800	7.8117	0.128	0.0122
1: 7,200	600.00	1.667	8.800	0.114	182.880	8.2645	0.121	0.0129
1: 7,920	660.00	1.515	8.000	0.125	201.168	10.00	0.100	0.0156
1: 8,000	666.667	1.500	7.920	0.126	203.200	10.203	0.098	0.0159
1: 8,400	700.00	1.429	7.543	0.133	213.360	11.249	0.089	0.0176
1: 9,000	750.00	1.333	7.041	0.142	228.600	12.913	0.077	0.0202
1: 9,600	800.00	1.250	6.600	0.152	243.840	14.692	0.068	0.0230
1: 10,000	833.333	1.200	6.336	0.158	254.000	15.942	0.063	0.0249
1: 10,800	900.00	1.111	5.867	0.170	274.321	18.595	0.054	0.0291
1: 12,000	1,000.00	1.000	5.280	0.189	304.801	22.957	0.044	0.0359
1: 13,200	1,100.00	0.909	4.800	0.208	335.281	27.778	0.036	0.0434
1: 14,400	1,200.00	0.833	4.400	0.227	365.761	33.058	0.030	0.0517
1: 15,000	1,250.00	0.800	4.224	0.237	381.001	35.870	0.028	0.0560
1: 15,600	1,300.00	0.769	4.062	0.246	396.241	38.797	0.026	0.0606
1: 15,840	1,320.00	0.758	4.000	0.250	402.337	40.000	0.025	0.0625
1: 16,000	1,333.333	0.750	3.960	0.253	406.400	40.812	0.024	0.0638
1: 16,800	1,400.00	0.714	3.771	0.265	426.721	44.995	0.022	0.0703
1: 18,000	1,500.00	0.667	3.520	0.284	457.201	51.653	0.019	0.0807
1: 19,200	1,600.00	0.625	3.300	0.303	487.681	58.770	0.017	0.0918
1: 20,000	1,666.667	0.600	3.168	0.316	508.002	63.769	0.016	0.0996
1: 20,400	1,700.00	0.588	3.106	0.322	518.161	66.345	0.015	0.1037
1: 21,120	1,760.00	0.568	3.000	0.333	536.449	71.111	0.014	0.1111
1: 21,600	1,800.00	0.556	2.933	0.341	548.641	74.380	0.013	0.1162
1: 22,800	1,900.00	0.526	2.779	0.360	579.121	82.874	0.012	0.1295
1: 24,000	2,000.00	0.500	2.640	0.379	609.601	91.827	0.011	0.1435
1: 25,000	2,083.333	0.480	2.534	0.395	635.001	99.639	0.010	0.1557
1: 31,680	2,640.00	0.379	2.000	0.500	804.674	160.000	0.006	0.2500
1: 48,000	4,000.00	0.250	1.320	0.758	1,219.202	367.309	0.003	0.5739
1: 62,500	5,208.333	0.192	1.014	0.986	1,587.503	622.744	0.0016	0.9730
1: 63,360	5,280.00	0.189	1.000	1.000	1,609.347	640.00	0.0016	1.0000
1: 96,000	8,000.00	0.125	0.660	1.515	2,438.405	1,469.24	0.0007	2.2957
1: 125,000	10,416.667	0.096	0.507	1.973	3,175.006	2,490.98	0.0004	3.8922
1: 126,720	10,560.00	0.095	0.500	2.00	3,218.694	2,560.00	0.0004	4.000
1: 250,000	20,833.333	0.048	0.253	3.946	6,350.012	9,963.907	0.0001	15.5686
1: 253,440	21,120.00	0.047	0.250	4.00	6,437.389	10,244.202	0.0001	16.00
1: 500,000	41,666.667	0.024	0.127	7.891	12,700.025	39,855.627	2.5×10^{-5}	62.2744
1: 1,000,000	83,333.333	0.012	0.063	15.783	25,400.050	159,422.507	6.2×10^{-6}	249.0977
FORMULAS		SCALE	12,000	63,360	SCALE	Ft per in.	(SCALE) ²	$43,560 \times 144$
		12	SCALE	SCALE	63,360	$\times 0.3048006$	$43,560 \times 144$	$(SCALE)^2$
								$(5,280)^2$

Table 9-6.—Volume-weight conversions

Lb per cu ft	Tons per acre-ft	Acre-ft per ton	Acre-in. per ton	Tons per acre-in.	Lb per cu ft	Tons per acre-ft	Acre-ft per ton	Acre-in. per ton	Tons per acre-in.
30	653.40	0.00153	0.01837	54.45	76	1,655.28	0.00060	0.00725	137.94
31	675.18	.00148	.01777	56.27	77	1,677.06	0.00060	.00715	139.76
32	696.96	.00144	.01722	58.08	78	1,698.84	0.00059	.00706	141.57
33	718.74	.00139	.01670	59.90	79	1,720.62	0.00058	.00697	143.39
34	740.52	.00135	.01620	61.71	80	1,742.40	0.00057	.00689	145.20
35	762.30	.00131	.01574	63.53	81	1,764.18	0.00057	.00679	147.02
36	784.08	.00128	.01530	65.34	82	1,785.96	0.00056	.00672	148.83
37	805.86	.00124	.01489	67.16	82.65	1,800.12	0.00056	.00666	150.01
38	827.64	.00121	.01450	68.97	83	1,807.74	0.00055	.00664	150.65
39	849.42	.00118	.01412	70.79	84	1,829.52	0.00055	.00655	152.46
40	871.20	.00115	.01378	72.60	85	1,851.30	0.00054	.00648	154.28
41	892.98	.00112	.01344	74.42	86	1,873.08	0.00053	.00641	156.09
42	914.76	.00109	.01312	76.23	87	1,894.86	0.00053	.00634	157.91
43	936.54	.00107	.01282	78.05	88	1,916.64	0.00052	.00626	159.72
44	958.32	.00104	.01252	79.86	89	1,938.42	0.00052	.00619	161.54
45	980.10	.00102	.01224	81.68	90	1,960.20	0.00051	.00612	163.35
46	1,001.88	.00100	.01198	83.49	91	1,981.98	0.00051	.00606	165.17
47	1,023.66	.00098	.01172	85.31	92	2,003.76	0.00050	.00599	166.98
48	1,045.44	.00096	.01147	87.12	93	2,025.54	0.00049	.00592	168.80
49	1,067.22	.00094	.01124	88.94	94	2,047.32	0.00049	.00586	170.61
50	1,089.00	.00092	.01102	90.75	95	2,069.10	0.00048	.00580	172.43
51	1,110.78	.00090	.01080	92.57	96	2,090.88	0.00048	.00574	174.24
52	1,132.56	.00088	.01060	94.38	97	2,112.66	0.00047	.00568	176.06
53	1,154.34	.00087	.01039	96.20	98	2,134.44	0.00047	.00563	177.87
54	1,176.12	.00085	.01020	98.01	99	2,156.22	0.00046	.00557	179.69
55	1,197.90	.00084	.01002	99.83	100	2,178.00	0.00046	.00551	181.50
56	1,219.46	.00082	.00984	101.62	101	2,199.78	0.00046	.00546	183.32
57	1,241.46	.00081	.00967	103.46	102	2,221.56	0.00045	.00540	185.13
58	1,263.24	.00079	.00949	105.27	103	2,243.34	0.00045	.00535	186.95
59	1,285.02	.00078	.00934	107.09	104	2,265.12	0.00044	.00529	188.76
60	1,306.80	.00077	.00918	108.90	105	2,286.90	0.00044	.00524	190.58
61	1,328.58	.00075	.00904	110.72	106	2,308.68	0.00043	.00520	192.39
62	1,350.36	.00074	.00889	112.53	107	2,330.46	0.00043	.00515	194.21
62.43	1,359.73	.00074	.00883	113.31	108	2,352.24	0.00043	.00510	196.02
63	1,372.14	.00073	.00875	114.35	109	2,374.02	0.00042	.00505	197.84
64	1,393.92	.00072	.00860	116.16	110	2,395.80	0.00042	.00500	199.65
65	1,415.70	.00071	.00847	117.98	111	2,417.58	0.00041	.00497	201.47
66	1,437.48	.00070	.00834	119.79	112	2,439.36	0.00041	.00492	203.28
67	1,459.26	.00069	.00822	121.61	113	2,461.14	0.00041	.00487	205.10
68	1,481.04	.00068	.00810	123.42	114	2,482.92	0.00040	.00484	206.91
69	1,502.82	.00067	.00798	125.24	115	2,504.70	0.00040	.00479	208.73
70	1,524.60	.00066	.00787	127.05	116	2,526.48	0.00040	.00475	210.54
71	1,546.38	.00065	.00776	128.87	117	2,548.26	0.00039	.00470	212.36
72	1,568.16	.00064	.00764	130.68	118	2,570.04	0.00039	.00467	214.17
73	1,589.94	.00063	.00755	132.50	119	2,591.82	0.00039	.00463	215.99
74	1,611.72	.00062	.00744	134.31	120	2,613.60	0.00038	.00460	217.80
75	1,633.50	.00061	.00734	136.13					

Table 9-7.—Conversion of inches to feet

1 in. = 0.08 ft	7 in. = 0.58 ft
2 in. = 0.17 ft	8 in. = 0.67 ft
3 in. = 0.25 ft	9 in. = 0.75 ft
4 in. = 0.33 ft	10 in. = 0.83 ft
5 in. = 0.42 ft	11 in. = 0.92 ft
6 in. = 0.50 ft	12 in. = 1.00 ft

References

- American National Metric Council. 1979. Metric editorial guide. 3d ed. American National Metric Council, 1625 Massachusetts Ave., N.W., Washington, DC 20036, 17 p.
- American Society for Testing and Materials. 1980. ASTM standard for metric practice. E 380-79. American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103, 42 p.
- International Organization for Standardization. 1973. SI units and recommendations for the use of their multiples and of certain other units. ISO Standard 1000. American National Standards Institute, 1430 Broadway, New York, NY 10018.
- National Bureau of Standards, U.S. Department of Commerce. 1977. The metric system of measurement. NBS Letter Circular 1078.
- Zimmerman, O. T., and I. Lavine. 1955. Conversion factors and tables. Industrial Research Service, Inc., Dover, N.H.